



ADT 104 HP: SET D ADAPTATEURS HAUTE PRESSION

adaptateurs haute pression

adaptateurs pour pression supérieure à 1000 bars jusqu'à 2800 bar

Description

set d'adaptateurs: 1/4HP male (Autoclave M-250-C) vers divers connecteurs (17pcs, livrés en valise);

(pour pompe additel 949 et 959 et ADT 681, ADT 672 et ADT 680 haute pression)

| Model | Description | Max Pressure | Picture |
|------------------|---------------------------------------|--------------|---|
| ADT100-HPM-M14F | Adapter, 1/4HP male to M14X1.5 female | 40,000 psi |  |
| ADT100-HPM-M20F | Adapter, 1/4HP male to M20X1.5 female | 40,000 psi | |
| ADT100-HPM-BSPF4 | Adapter, 1/4HP male to 1/4BSP female | 40,000 psi | |
| ADT100-HPM-BSPF3 | Adapter, 1/4HP male to 3/8BSP female | 40,000 psi |  |
| ADT100-HPM-BSPF2 | Adapter, 1/4HP male to 1/2BSP female | 40,000 psi | |
| ADT100-HPM-NPTF4 | Adapter, 1/4HP male to 1/4NPT female | 15,000 psi | |
| ADT100-HPM-NPTF2 | Adapter, 1/4HP male to 1/2NPT female | 15,000 psi |  |
| ADT100-HPM-M14M | Adapter, 1/4HP male to M14X1.5 male | 40,000 psi | |
| ADT100-HPM-M20M | Adapter, 1/4HP male to M20X1.5 male | 40,000 psi | |
| ADT100-HPM-BSPM4 | Adapter, 1/4HP male to 1/4BSP male | 40,000 psi |  |
| ADT100-HPM-BSPM3 | Adapter, 1/4HP male to 3/8BSP male | 40,000 psi | |
| ADT100-HPM-BSPM2 | Adapter, 1/4HP male to 1/2BSP male | 40,000 psi | |
| ADT100-HPM-NPTM4 | Adapter, 1/4HP male to 1/4NPT male | 15,000 psi |  |
| ADT100-HPM-NPTM2 | Adapter, 1/4HP male to 1/2NPT male | 15,000 psi | |
| ADT100-HPM-HPM4 | Adapter, 1/4HP male to 1/4HP male | 40,000 psi | |

| Model | Description | Max Pressure |
|-------------------------|---------------------------------------|--------------|
| ADT100-HPM-M14F | Adapter, 1/4HP male to M14X1.5 female | 15,000 psi |
| ADT100-HPM-M20F | Adapter, 1/4HP male to M20X1.5 female | 15,000 psi |
| ADT100-HPM-BSPF4 | Adapter, 1/4HP male to 1/4BSP female | 15,000 psi |
| ADT100-HPM-BSPF3 | Adapter, 1/4HP male to 3/8BSP female | 15,000 psi |
| ADT100-HPM-BSPF2 | Adapter, 1/4HP male to 1/2BSP female | 15,000 psi |
| ADT100-HPM-NPTF4 | Adapter, 1/4HP male to 1/4NPT female | 15,000 psi |
| ADT100-HPM-NPTF2 | Adapter, 1/4HP male to 1/2NPT female | 15,000 psi |
| ADT100-HPM-M14M | Adapter, 1/4HP male to M14X1.5 | 40,000 psi |



| Model | Description | Max Pressure |
|-------------------------|---|--------------|
| | male | |
| ADT100-HPM-M20M | Adapter, 1/4HP male to M20X1.5 male | 40,000 psi |
| ADT100-HPM-BSPM4 | Adapter, 1/4HP male to 1/4BSP male | 15,000 psi |
| ADT100-HPM-BSPM3 | Adapter, 1/4HP male to 3/8BSP male | 40,000 psi |
| ADT100-HPM-BSPM2 | Adapter, 1/4HP male to 1/2BSP male | 40,000 psi |
| ADT100-HPM-NPTM4 | Adapter, 1/4HP male to 1/4NPT male | 15,000 psi |
| ADT100-HPM-NPTM2 | Adapter, 1/4HP male to 1/2NPT male | 15,000 psi |
| ADT100-HPM-HPM | Adapter, 1/4HP male to 1/4HP male (3 pcs) | 60,000 psi |